

Supplementary

Gholami *et al.*, *J Genet Resour*, 2021; 7(2): 195-202

Supplementary 1. List of specific names in plant families, life form and geographic distribution in Kaseh Garan area, Gilaneghaeb county: Ph., phanerophyte; Cr, Cryptophyte; H, Hemicyptophyte; Hy, Hydrophyte; G, Geophyte; T, Therophyte; IT, Irano-Turanian; ES, Euro-Siberian; M, Mediterranean; SS, Sahara-Sindian; Cosm, Cosmopolitan.

Botanic name	Life-form	Chorology
Aceraceae		
<i>Acer monspessulanum</i> L.	Ph	IT
Amaryllidaceae		
<i>Allium ampeloprasum</i> L.	G	IT
<i>Allium chrysantherum</i> Boiss. & Reut. ex Boiss.	G	IT
<i>Allium eriophyllum</i> Boiss.	G	IT
<i>Allium kharputense</i> Freyn. & Sint	G	IT
<i>Allium saralicum</i> R.M.Fritsch	G	IT
Amaranthaceae (Chenopodiaceae)		
<i>Amaranthus retroflexus</i> L.	T	Cosm
<i>Chenopodium murale</i> L.	T	IT
<i>Noaea mucronata</i> (Forssk.) Aschers.	H	IT, M
Anacardiaceae		
<i>Pistacia atlantica</i> Desef ssp. <i>Kurdica</i>	Ph	IT
<i>Pistacia khinjuk</i> Stocks.	Ph	IT
Apiaceae (Umbeliferae)		
<i>Aethusa cynapium</i> L.	H	IT
<i>Anthriscus cerefolium</i> (L.) Hoffm.	H	IT, ES
<i>Ammi majus</i> L.	T	IT
<i>Artemisia squamata</i> L.	T	IT
<i>Bunium luristanicum</i> Rech.f.	H	IT
<i>Bunium rectangulum</i> H Wolff	Cr	IT
<i>Bupleurum lancifolium</i> Hornm.	T	IT
<i>Chaerophyllum macropodium</i> Boiss.	H	IT
<i>Eryngium billardieri</i> Delar.	H	IT
<i>Falcaria vulgaris</i> Bernh.	H	IT, M, ES

Botanic name	Life-form	Chorology
<i>Lagoecia cuminoides</i> L.	T	IT
<i>Pimpinella affinis</i> Ledeb.	H	IT
<i>Pimpinella tragi</i> Vill.	H	IT, ES
<i>Pimpinella anisum</i> L. Syn: <i>Pimpinella eriocarpa</i> Banks & Sol.	H	IT
<i>Torilis arvensis</i> (Huds.) Link	H	IT
<i>Turgenia latifolia</i> (L.) Haffme	T	IT, M, ES
<i>Scandix pecten-veneris</i> L.	T	IT, ES
Araceae		
<i>Arum elongatum</i> Stev.	G	IT
<i>Eminium intortum</i> Kuntze	G	IT
Aristolochiaceae		
<i>Aristolochia olivieri</i> Collengo.	H	IT
Asphodelaceae	G	IT
<i>Eremurus spectabilis</i> M.Bieb.		
Asparagaceae		
<i>Scilla bisotunenensis</i> Speta	G	IT
Asteraceae (Compositae)		
<i>Achillea biebersteinii</i> Afan.	H	IT
<i>Achillea millefolium</i> L.	H	IT
<i>Achillea wilhelmsii</i> C. Koch.	G	IT, M, ES
<i>Acroptilon repens</i> (L.) DC.	H	IT, ES
<i>Anthemis altissima</i> L.	T	IT
<i>Anthemis hyaline</i> DC.	T	IT
<i>Anthemis odontostephana</i> Boiss.	H	IT, M
<i>Arctium lappa</i> L.	H	IT, ES
<i>Bellis perennis</i> L.	H	IT
<i>Carduus arabicus</i> Jacq. Ex Murray	H	M, ES
<i>Carduus pycnocephalus</i> L.	H	IT, M
<i>Carthamus oxyacantha</i> M.B.	T	IT
<i>Carthamus lanatus</i> L.	T	IT
<i>Centaurea iberica</i> Trev ex Spreng.	H	IT
<i>Centaurea solstitialis</i> L.	T	IT, M, ES
<i>Centaurea virgata</i> Lam.	H	IT

Botanic name	Life-form	Chorology
<i>Chardinia orientalis</i> (L.) Kuntze	T	IT
<i>Cichorium pumilum</i> Jacq.	H	IT, M
<i>Crepis Kotschyana</i> (Boiss.) Boiss.	T	IT
<i>Crepis multicalus</i> Ledeb.	H	IT
<i>Crepis sancta</i> (L.) Babc	H	IT
<i>Cirsium arvense</i> (L.) Scop.	H	IT
<i>Cnicus benedictus</i> L.	T	IT
<i>Cousinia cylindracea</i> Boiss.	H	IT
<i>Cousinia haussknechtii</i> C.Winkl.	H	IT
<i>Cousinia jacobsii</i> Rech.f. .	H	IT
<i>Crupina crupinastrum</i> (Moris) Vis.	T	IT, M, ES
<i>Echinops mosulensis</i> Rech.f.	H	IT
<i>Echinops ritrodes</i> Bunge	H	IT
<i>Erigeron canadensis</i> L.	H	IT
<i>Filago arvensis</i> L.	T	IT
<i>Gundelia tournefortii</i> L.	H	IT
<i>Garhadiollus angulosus</i> Jaub.&Spach	T	IT
<i>Gymnarrhena micrantha</i> Desf.	T	IT
<i>Helichrysum oligocephalum</i> DC.	H	IT
<i>Lactuca seriola</i> L.	H	IT, ES
<i>Lasiopogon muscoides</i> DC.	T	SS
<i>Launaea procambens</i> Roxb.	H	IT
<i>Onopordum acanthium</i> L.	H	IT
<i>Onopordon heterracanthum</i> C.A.Mey	H	IT
<i>Outreya carduiiformis</i> Jaub. et Spach. Syn: <i>Jurinea carduiiformis</i> (Jaub. & Spach) Boiss.	H	IT, SS
<i>Pallenis spinosa</i> (L.) Cass.	T	IT
<i>Picnomon acarna</i> (L.) Cass.	T	IT, M
<i>Pulicaria dysenterica</i> (L.) Bernh.	H	IT
<i>Pulicaria undulata</i> (L.) C.A. Mey. Syn: <i>Francoeuria undulata</i> (L.) Lack	H	IT
<i>Rhagadiolus stellatus</i> (L.) Gaertn.	T	IT, M
<i>Scolymus maculatus</i> L.	T	IT
<i>Scariola orientalis</i> (Boiss.) Sojak. .	H	IT

Botanic name	Life-form	Chorology
<i>Scorzonnera papposa</i> DC.	H	IT
<i>Scorzonera phaeopappa</i> Boiss.	H	IT
<i>Scorzonnera pseudolanata</i> Grassh.	H	IT
<i>Senecio vernalis</i> Waldst & Kit.	T	IT, M, ES
<i>Siebera nana</i> (DC.) Bornm.	T	IT
<i>Silybum marianum</i> (L.) Gaertn.	H	Cosm
<i>Serratula cerinthifolia</i> (Sm.) Boiss.	H	IT
<i>Sonchus asper</i> (L.) Hill.	T	IT
<i>Tanacetum polycephalum</i> Sch. Bip.	H	IT
<i>Taraxacum syriacum</i> Boiss.	H	IT
<i>Tragopogon bupthalmoides</i> (DC.) Boiss.	H	IT
<i>Tragopogon collinus</i> DC.	H	IT
<i>Tragopogon longirostris</i> Bisch.	H	IT, ES
<i>Urospermum picroides</i> (L.) Desf.	T	IT, M
<i>Xeranthemum inapertum</i> (L.) Miller	T	IT
<i>Xanthium spinosum</i> L.	T	IT
<i>Zoegea leptaurea</i> L.	T	IT
Boraginaceae		
<i>Asperugo procumbens</i> L.	T	IT, M, ES
<i>Buglossoides tenuiflora</i> (L.fil) Johnston	H	IT, ES
<i>Cynoglossum creticum</i> Miller	H	ES
<i>Echium italicum</i> L.	H	IT, ES
<i>Heliotropium lasiocarpum</i> Fish & Mey.	H	IT
<i>Heliotropium eichwaldii</i> Steud.	H	IT
<i>Lithospermum tenuiflorum</i> L. fil.	H	IT
<i>Nonnea persica</i> Boiss.	H	IT
<i>Onosma bulbotrichum</i> DC.	H	IT
<i>Onosma microcarpum</i> Steven ex DC.	H	IT
<i>Onosma olivieri</i> Boiss.	H	IT
<i>Onosma orientale</i> L.	H	IT, SS
<i>Onosma sericea</i> Willd.	H	IT
<i>Paracaryum modestum</i> Boiss.	H	IT
<i>Paracaryum rugulosum</i> (DC.) Boiss.	H	IT, ES, SS
<i>Rindera lanata</i> (Lam) Bge.	H	IT

Botanic name	Life-form	Chorology
<i>Rochelia disperma</i> (L.f.) K.Koch	T	IT
Brassicaceae (Cruciferae)		
<i>Aethionema carneum</i> (Banks & Soland) B. Fedtsch.	H	IT
<i>Aethionema grandiflorum</i> Boiss. & Hohen.	H	IT
<i>Alyssum longistylum</i> (Sommier & Levier) Grossh.	T	IT
<i>Arabis aucheri</i> Boiss.	H	IT, ES
<i>Arabis nova</i> Vill. .	H	IT, M, ES
<i>Biscutella didyma</i> L.	T	IT, M, ES
<i>Capsella brusa – pastoris</i> L. Medicus.	T	Cosm
<i>Cardaria draba</i> (L.) Desv	T	IT, M
<i>Clypeola aspera</i> (Grauer) Turrill.	T	IT, M
<i>Clypeola jonthlaspi</i> L.	T	IT
<i>Clypeola lappacea</i> Boiss.	T	IT
<i>Conringia orientalis</i> (L.) Andrz.	T	IT, M, ES
<i>Descurainia Sophia</i> (L.) Wobb & Berth.	T	Cosm
<i>Eruca sativa</i> Miller.	T	IT, M, ES
<i>Erophila minima</i> C.A. Mey.	T	IT, ES
<i>Erysimum persepolitanum</i> Boiss.	H	IT
<i>Fibigia suffruticosa</i> (Vent) Sweet.	H	IT
<i>Hesperis persica</i> Boiss.	H	IT
<i>Hirschfeldia incana</i> (L.) Lagr.-Fossat	T	IT
<i>Mathiola longipetala</i> (Vent) OC.	T	IT, M
<i>Neslia apiculata</i> Fisch et Mey.	T	IT, ES
<i>Diplotaxis harra</i> (Forssk.) Boiss	T	IT, SS
<i>Sameraria stylophora</i> (Jaub & Spach) Boiss.	T	IT
<i>Sinapis arvensis</i> L.	T	IT
<i>Sterigmostemum sulphureum</i> (Bank et Soland) Bornm.	H	IT
<i>Thlaspi perfoliatum</i> L.	T	IT
Campanulaceae		
<i>Campanula ceciliae</i> Rech. f. Schiman- Czoika	T	IT
<i>Legousia speculum- veneris</i> (L.) Chaix	T	IT
Capparidaceae		
<i>Capparis spinosa</i> L.	Ch.	IT, M, ES
Caprifoliaceae		

Botanic name	Life-form	Chorology
<i>Lonicera nummulariifolia</i> Jaub. & Spach	Ph	IT
Caryophyllaceae		
<i>Cerastium inflatum</i> Link ex Desf.	T	IT
<i>Minuartia hybrida</i> (Vill.) Schischk.	T	IT
<i>Silene conoidea</i> L.	T	IT
<i>Vaccaria pyramidata</i> Medic.	T	IT,M,ES
Cistaceae		
<i>Helianthemum ledifolium</i> (L.) Miller	T	IT,M
Colchicaceae		
<i>Colchicum speciosum</i> Steven	G	ES
Convolvulaceae		
<i>Convolvulus stachydifolius</i> Choisy.	H	IT
Crassulaceae		
<i>Rosularia sempervivum</i> Berger.	H	IT, M
<i>Umbilicus intermedius</i> Boiss.	H	IT
Cucurbitaceae		
<i>Bryonia multiflora</i> Boiss & Heldr.	H	IT
Dipsacaceae		
<i>Cephalaria syriaca</i> (L.) Roemer & schultes.	T	IT
<i>Pterocephalus canus</i> Coult.	H	IT
<i>Pterocephalus plumosus</i> (L.) Coult.	T	IT, M
<i>Scabiosa calocephala</i> Boiss.	T	IT
<i>Scabiosa olivieri</i> Coult.	T	IT
Euphorbiaceae		
<i>Andrachne telephioides</i> L.	T	IT, M, S
<i>Chrozophora oblique</i> (Vahl) Juss. et spreng.	H	IT, SS
<i>Euphorbia craspedia</i> Boiss.	H	IT
<i>Euphorbia falcate</i> L.	T	IT
<i>Euphorbia heteradena</i> Jaub et Spach.	H	IT,M
<i>Euphorbia helioscopia</i> L.	T	IT,ES
<i>Euphorbia condylocarpa</i> M. B.	H	IT
<i>Euphorbia denticulate</i> Lam.	T	IT
<i>Euphorbia petiolata</i> Banks & soland.	H	IT
Fagaceae		
<i>Quercus brantii</i> Lindl.	Ph	IT

Botanic name	Life-form	Chorology
Fumariaceae <i>Fumaria parviflora</i> Lam.	T	IT, M, ES
Geraniaceae <i>Biebersteinia multifida</i> DC.	Cr	IT
<i>Erodium ciconum</i> (Jusl) L'Her. ex Aiton	T	IT
<i>Erodium gruinum</i> (L.) LHer. ex Aiton	T	M
<i>Erodium malacoide</i> (L.) LHer. ex Aiton.	T	IT
<i>Erodium moscathum</i> (L.) LHer. ex Aiton.	T	IT
<i>Geranium tuberosum</i> L. .	G	IT
Hypericaceae (Guttiferae) <i>Hypericum scabrum</i> L.	H	IT
Hyacinthaceae <i>Bellevalia decolorans</i> Bornm.	G	IT
<i>Bellevalia glauca</i> (Lindl) Kunth.	G	IT
<i>Muscaria racemosum</i> (L.) Mill.	G	IT
<i>Muscari neglectum</i> Guss.	G	IT, ES
<i>Ornithogalum cuspidatum</i> Bertol.	G	IT
<i>Ornithogalum platyphyllum</i> Boiss.	G	IT
Iridaceae <i>Crocus haussknechtii</i> Boiss.	G	IT
<i>Gladiolus atrovioleaceus</i> Bioss.	G	IT
<i>Iris hymenospata</i> Mathew et wendelbo	G	IT
Ixioliriaceae <i>Ixiolirion tatricum</i> (Pall.) Herb.	G	Cosm
Lamiaceae (Labiatae) <i>Lallemantia iberica</i> (Stev) Fisch & C. A. Mey.	T	IT
<i>Lamium amplexicaule</i> L.	T	IT
<i>Marrubium vulgare</i> L.	H	IT.M
<i>Mentha longifolia</i> (L.) Hudson	Hy	Cosm
<i>Phlomis olivieri</i> Benth.	H	IT
<i>Phomis persica</i> Boiss.	H	IT, ES
<i>Salvia bracteata</i> Banks & Sol.	H	IT
<i>Salvia multicaulis</i> Vahl.	H	IT
<i>Salvia syriaca</i> L.	H	IT

Botanic name	Life-form	Chorology
<i>Salvia trichoclada</i> Benth.	H	IT
<i>Salvia syriaca</i> L.	H	IT
<i>Scutellaria pinnatifida</i> Arth. et Hamilt.	H	IT
<i>Stachys inflata</i> Benth.	H	IT
<i>Stachys Kurdica</i> Bpiss. et Hohen.	H	IT
<i>Teucrium polium</i> L.	H	IT
<i>Vitex negundo</i> L.	Ch	IT, M
<i>Ziziphora capitata</i> L.	T	IT
<i>Ziziphora cliniopodioides</i> Lam.	Ch	IT, ES
<i>Ziziphora tenuior</i> L.	T	IT
Liliaceae		
<i>Gagea lutea</i> (L.) Ker-Gawl.	G	IT
<i>Gagea reticulata</i> (Pall.) Roem. et Schult.	G	IT
Linaceae		
<i>Linum mucronatum</i> Bertol.	H	IT
<i>Linum strictum</i> L.	T	M
Malvaceae		
<i>Alcea Koelzii</i> I. Riedl	H	IT
<i>Alcea sulphurea</i> (Boiss. et Hohen.) Alef.	H	IT
<i>Malva neglecta</i> Wallr.	H	IT.M.ES
<i>Malva parviflora</i> L.	T	IT,M
<i>Malva sylvestris</i> L.	H	IT
Moraceae		
<i>Ficus carica</i> L.	Ph	IT.M.ES
<i>Ficus johannis</i> Boiss. .	Ph	IT
Orchidaceae		
<i>Orchis mascula</i> (L.) L.	G	IT
<i>Orchis palustris</i> Jacq.	G	Cosm
Papaveraceae		
<i>Papaver rhoeas</i> L.	T	IT
<i>Roemeria hybrida</i> (L.) DC.	T	IT, SS
Papilionaceae (Leguminosae)		
<i>Anagyris foetida</i> L.	T	IT,M
<i>Astragalus adscendens</i> Boiss & Hausskn ex Boiss	T	IT,M

Botanic name	Life-form	Chorology
<i>Astragalus brachycalyx</i> Fischer	Ch	IT
<i>Astragalus ecbatanus</i> Bunge	H	IT
<i>Astragalus hamosus</i> L.	T	IT
<i>Astragalus glaucacanthus</i> Fisch.	Ch	IT
<i>Astragalus globiflorus</i> Boiss.	H	IT
<i>Astragalus gossypinus</i> fisch.	Ch	IT
<i>Astragalus microcephalus</i> Willd.	T	IT, M, ES
<i>Astragalus myriacanthus</i> Boiss.	T	IT
<i>Astragalus octopus</i> C.C. Towns	H	IT
<i>Astragalus ovinus</i> Boiss.	H	IT
<i>Astragalus rhodosemius</i> Boiss.	H	IT, ES
<i>Astragalus siliquosus</i> Boiss.	H	IT
<i>Astragalus verus</i> Olivier	Ch	IT
<i>Cicer tragacanthoides</i> Jaub & Spach.	H	IT
<i>Hymenocarpus circinnatus</i> (L.) Savi	T	IT
<i>Lathyrus aphaca</i> L.	T	IT, M
<i>Lathyrus inconspicuus</i> L.	T	IT
<i>Lathyrus cicera</i> L.	T	IT
<i>Lens esculenta</i> Moench.	T	IT
<i>Lotus corniculatus</i> L.	H	IT, M, ES
<i>Medicago lupulina</i> L.	T	IT
<i>Medicago orbicularis</i> (L.) Bartalini	T	IT, M, ES, SS
<i>Medicago polymorpha</i> L.	T	IT
<i>Melilotus indicus</i> (L.) All.	T	IT, ES
<i>Prosopis farcta</i> (Banks & Sol.) J.F. Macbr	Ch	IT, ES
<i>Scorpiurus muricatus</i> L.	T	IT, SS
<i>Trifolium campestre</i> Schreb.	H	IT, M
<i>Trifolium dasyurum</i> C. Presl.	T	IT
<i>Trifolium echinatum</i> M. B.	H	IT, ES
<i>Trifolium grandiflorum</i> Schreb.	H	IT
<i>Trifolium repens</i> L.	H	IT, M, ES
<i>Trifolium resupinatum</i> L.	T	IT, M, ES
<i>Trifolium stellatum</i> L.	T	M
<i>Trigonella monantha</i> C.A. Mey.	T	IT, ES

Botanic name	Life-form	Chorology
<i>Trigonella uncinata</i> Banks & Soland.	T	IT
<i>Vicia hyrcanica</i> C. A. Mey.	T	IT
<i>Vicia narbonensis</i> L.	T	IT, M
Plantaginaceae		
<i>Plantago coronopus</i> L.	T	IT, M, ES
<i>Plantago ovata</i> Forsk.	H	IT, M, SS
Poaceae (Gramineae)		
<i>Aegilops columnaris</i> Zhuk.	T	IT
<i>Aegilops triuncialis</i> L.	T	IT
<i>Agropyron podperae</i> Nab.	T	IT
<i>Arrhenatherum avenaceum</i> P.Beauv. ex Boiss.	T	IT
<i>Avena wiestii</i> steud	T	Cosm
<i>Bromus danthoniae</i> Trin.	T	IT, M
<i>Bromus lanceolatus</i> Roth	T	IT
<i>Bromus tectorum</i> L.	T	IT
<i>Cynodon dactylon</i> (L.) Pers.	H	Cosm
<i>Dactylis glomerata</i> L.	H	IT
<i>Echinaria capitata</i> (L.) Desf.	T	IT, M
<i>Echinochloa crus-galli</i> (L.) P. Beauv.	H	IT, ES
<i>Eremopoa persica</i> (Trin) Roshev.	T	IT
<i>Festuca arundinacea</i> Schreb.	H	IT
<i>Hordeum marinum</i> Huds.	T	IT
<i>Hordeum spontaneum</i> C. Koch	T	IT
<i>Lophochloa phleoides</i> (Vill) Reichenb.	T	IT, M
<i>Melica jacquemontii</i> Decen. ex jacquem	H	IT
<i>Poa bulbosa</i> L.	G	IT, M
<i>Setaria glauca</i> (L.) P.Beauv.	T	IT, SS
<i>Taeniatherum crinitum</i> (Schreb) Nevski	T	IT
Polygonaceae		
<i>Polygonum aviculare</i> L.	H	Cosm
<i>Rumex crispus</i> L.	H	IT
Polygalaceae		
<i>Polygala kurdica</i> C.C.Towns	H	IT
Polyphyllaceae		

Botanic name	Life-form	Chorology
<i>Bongarida chysogonum</i> (L.) Griseb.	G	IT
<i>Leontice leontopetalum</i> L.	G	IT
Portulacaceae		
<i>Portulaca oleracea</i> L.	T	IT, M, ES
Primulaceae		
<i>Anagalis arvensis</i> L.	T	IT, M, ES
<i>Androsace maxima</i> L..	T	IT
Ranunculaceae		
<i>Adonis aestivalis</i> L.	T	IT
<i>Anemone biflora</i> DC.	G	IT, M
<i>Ceratocephalus falcatus</i> (L.) Pers.	T	IT, M
<i>Consolida orientalis</i> (Gay) Schrod.	T	M
<i>Consolida tomentosa</i> (Aucher) Schrod.	T	IT
<i>Consolida rugulosa</i> (Boiss.) Schrödinger.	T	IT
<i>Delphinium saniculifolium</i> Boiss..	H	IT
<i>Ficaria ficarioides</i> Bory.	H	IT
<i>Ranunculus arvensis</i> L.	T	IT, M, ES
<i>Ranunculus asiaticus</i> L.	H	IT, M, ES
Rhamnaceae	Ph	IT, M, ES
<i>Paliurus spina- christii</i> Miller		
Rosaceae	Ph	IT, ES
<i>Amygdalus lycioides</i> Spach. var. <i>horrid</i> (Spach) Browicz.		
<i>Amygdalus lycioides</i> Spach. var. <i>lycioides</i>	Ph	IT
<i>Amygdalus scoparia</i> Sach.	Ph	IT
<i>Cerasus microcarpa</i> (C. A. Mey) Boiss. subsp. <i>microcarpa</i>	Ph	IT
<i>Cerasus microcarpa</i> (C. A. Mey) Boiss. subsp. <i>turossa</i> (Boiss & Hauskn.) Browicz.	Ph	IT
<i>Crataegus azarolus</i> L.	Ph	IT, M, ES
<i>Rosa beggeriana</i> Schrenk in Fisch.	Ph	IT
<i>Rosa canina</i> L.	Ph	IT, M, ES
<i>Sanguisorba minor</i> Scop.	H	IT, M, ES
Rubiaceae		
<i>Callipeltis cucullaria</i> Stev.	T	IT, SS
<i>Galium aparine</i> L..	T	Cosm

Botanic name	Life-form	Chorology
<i>Galium setaceum</i> Lam.	T	IT
Rutaceae		
<i>Haplophyllum tuberculatum</i> (Forssk.) Juss.	H	IT, SS
<i>Ruta graveolens</i> L.	H	IT
Santalaceae		
<i>Thesium kotschyianum</i> Boiss.	T	IT,SS
Scrophulariaceae		
<i>Lagotis stolonifera</i> Maxim.	G	IT
<i>Scrophularia frigida</i> Boiss.	H	IT
<i>Scrophularia striata</i> Boiss.	H	IT, M
<i>Verbascum alepense</i> Benth in DC.	H	IT
<i>Verbascum orientale</i> (L) All.	H	IT
<i>Veronica farinosa</i> Hauskn.	T	IT
Solanaceae		
<i>Solanum nigrum</i> L.	T	Cosm
Thymelaeaceae		
<i>Daphne mucronata</i> Royle.	Ph	IT
<i>Thymelaea mesopotamica</i> (C.Jeffrey B. Peterson	H	Cosm
Valerianaceae		
<i>Valerianella dufresnia</i> Bunge et Boiss.	T	IT, ES
<i>Valerianella coronate</i> (L.) DC.	T	IT
<i>Valerianella vesicaria</i> (L.) Moench	T	IT, ES
Violaceae		
<i>Viola modesta</i> Fenzl.	T	IT